


Hi-Tech Gas Services Sales & Service 02 9011 6200 & 02 4392 7094

info@homeheating.net.au www.homeheating.net.au



# JX GAS HEATERS



# JX SERIES GAS POOL & SPA HEATERS

- ✓ Wall Mounted for small spaces
- Efficient to run
- Heat on demand
- Available for indoor and outdoor applications













# JX SERIES GAS POOL & SPA HEATERS

AstralPool's pool and spa gas heaters have become the bench-mark in recent years and now the JX Series adds a new level of flexibility and convenience to that high standard. Today's higher density housing, larger houses and smaller blocks have placed a premium on utility space. In response, the JX combines the benefits of a power flue with a wall-mounted chassis to save space, reduce installation costs and increase efficiency. And it communicates with the amazing Connect 10 control system allowing in house or mobile control of your water temperature.

Wall-mounting saves space and makes maintenance easy. The power flue reduces clearances around the heater. Together they allow the JX to squeeze into very tight spaces.

### More power to this flue

Normal flues rely on natural draught, but a fan 'powers' the JX draught so it can be more compact, much more efficient, to have higher flow rates and run cooler.

Outdoor models expel flue gases through a stainless steel slot on the front so they operate without difficulty in high winds. Indoor models have one flue inside another. The inner flue carries combustion gases outside, while the outer flue draws in fresh outside air to feed combustion. It's a sealed system so even in an enclosed space there is no need for additional room ventilation to support combustion. And being fan driven, the flue can be terminated horizontally, so no flues or cowls on the roof.

All in all, the JX flue has the power to deliver higher efficiency, greater performance, longer life and, of course, reduced operating costs.

## AstralPool's heart of gold.

At the heart of the JX heater is the amazing AstralPool Copper-Nickel heat exchanger. The ultra thin fins around each heat exchanger tube absorb all the heat from the burners below and transfer it to the water flowing inside.

Copper-nickel provides the highest corrosion resist-



ance available and the finely honed fins provide 10 times the heat transfer of plain tube.

# Unique stainless steel Venturi burners.

Developed to ensure short, sharp, even flame distribution these burners offer long-lasting, corrosion-free operation. The burner design helps generate superior performance from a compact package. They also burn more quietly and more efficiently


## JX heating is IMMEDIATE ....


The JX Series gas pool heaters are so fast they're able to heat most spas in about an hour, and correctly sized, will heat your pool in 24 hours or less. You don't need to run the heater for long periods to warm the pool. It's the nearest thing to 'ondemand' pool and spa heating.


#### ... and INEXPENSIVE.

Gas prices vary but the efficiency of the JX does not. Ask for an estimate of local running costs and you'll be amazed at how little year round heating will actually cost..









## Connect 10 Technology

The JX Series is part of a family of high quality, highly intelligent, interconnected products that work together to take total care of your pool and spa. The Connect 10 controller links all the separate components together through a single control that allows any member of the family to operate the system in house or by a mobile phone or tablet.

#### Precision and Control

A sophisticated electronic thermostat, digital readout, state-of-the-art gas valve and electronic ignition give the JX remarkably accurate and precise temperature control.

#### Range

The AstralPool Series Gas Pool & Spa Heaters are available in indoor or outdoor versions with 130 and 160 mega joule capacities. They are ideal for spas, swim-spas and most average-sized pools.

# Warranty

The JX combustion cabinet and chamber carry a limited 5 year warranty. The waterways and burners are covered for 2 years all other components are guaranteed for a full 12 months. For full details refer to the JX Series Instruction Sheet.

#### **SPECIFICATIONS**

15

	Input	Water	Width	Depth	Height	Clearan	ces		
Model	W/J	Connections	"A"	"B"	"C"	Front	Sides	Above	Below
JX 130	120	40mm	520	299	755	500	50	300	900
JX 160	155	40mm	651	299	755	500	50	300	900



#### Available from:

HI-Tech Gas Services
02 4392 7094 & 02 9011 6200
info@homeheating.net.au
www.homeheating.net.au



